



Aluminum Cargo Carrier Instructions for Part # ACC-550



General Guidelines

- It is the user's responsibility to read and follow all instructions.
- Keep these instructions with the product at all times and review before each use.
- It is the responsibility of this product's owner to furnish the instructions to any person that borrows or purchases the product.
- Inspect the product before use to ensure it is assembled properly and all parts are in safe working order and free of defects.
- Never modify this product in any way.
- All circumstances cannot be addressed in these instructions. Please use common sense and practice general safety measures when using this product.
- Parts and/or instructions are subject to change without notice.

Safety

- Do not exceed the weight capacity of 550 lbs.
- Never exceed the maximum trailer hitch tongue weight rating of your trailer hitch. Hauling weight may be limited by your vehicle's suspension.
- Some vehicles may require air shocks or heavier springs to stiffen up the suspension to prevent sagging.
- Distribute weight evenly on the carrier platform. Place heavier items closer to the receiver.
- Make sure the carrier is secured on the trailer hitch mount and all loads are secured on the carrier. Hitch pin and tie-down straps are sold separately.
- Do not carry loads wider or deeper than the carrier.
- Do not carrier flammable items on the carrier.
- Do not allow vehicle exhaust fumes to blow directly on items on the carrier. This is a fire hazard.
- Not intended for transporting humans.
- Always check local DOT ordinances regarding the use of hitch carriers. In some regions it may be illegal to cover or obscure the license plate and tail lights.
- Always inspect your hitch carrier for loose bolts, damage, or rusting before use. DO NOT USE carrier if damaged.
- NOT recommended for use on tow-behind trailers, including 5th wheel and camping trailers.
- NOT recommended for hitches less than 12" from the ground to the bottom of the hitch without the use of a riser adapter.

Parts



A



B



C



D

Part	Description	Quantity
A	Carrier Platform	1
B	Hitch/Support Tube	1
C	M10x30 Button Head Bolt	4
D	M10 Square Nut	4

Tools Needed: 5.5mm Allen Wrench
*Note: Hitch Pin Sold Separately

Assembly

1. Place the carrier platform (A) on a flat surface, facing down.
2. Fit the hitch/support tube (B) onto the platform, making sure the reflectors are facing towards the front (opposite the hitch tube) and holes are aligned.
3. Secure in place using the bolts (C) and square nuts (D). Tighten with an Allen wrench.



Product Warranty and Liability

GENERAL PRODUCT WARRANTY: Products purchased from the Authorized Dealer (original place of purchase) or Merchant ("Dealer") will be free of defects in material and workmanship at the time of receipt, and will meet the specifications stated at the place of purchase transaction or online at the Dealer's website, under normal use and service when correctly installed, operated and maintained. This product warranty is effective for the period of time stated below, unless otherwise stated in the product instructions or depicted in the product advertisement. **All Authorized Dealer warranties are NON-TRANSFERABLE** and cover only the original end purchaser. This limited warranty does not cover products purchased through non-authorized dealers. Non-authorized dealer receipts are not accepted for warranty verification.

*****Warranty claims must be made directly to the original place of purchase.*****

WARRANTY PERIOD: This warranty remains in force for one year from the date of the product's accepted delivery. The Authorized Dealer offers a one year manufacturer's warranty for most products unless otherwise specified on the product advertisement.

WARRANTY SERVICE: The Authorized Dealer will replace any defective or malfunctioning part at no charge, including payment of the shipping costs of parts or replacement product to and from the manufacturer. The purchaser is responsible for labor charges. If the product does not meet specifications as depicted in the advertisement, the Authorized Dealer will refund the full purchase price of the product.

Questions regarding the warranty on a specific product and warranty claims should be directed to the Authorized Dealer with whom the purchase transaction was made.

WARRANTY LIMITATIONS: The above warranty does not apply to products that are repaired, modified or altered by any party other than the Authorized Dealer; are subjected to unusual physical stress or conditions (such as overloaded ramps or corrosion), natural disaster, governmental actions, wars, strikes, labor disputes, riots, theft, vandalism, terrorism or any reason beyond reasonable control; are damaged due to improper installation, misuse, abuse, accident or negligence in use, storage, transportation or handling, or tampering; or to products that are considered consumable items or items requiring repair or replacement due to normal wear and tear.

Product should be inspected prior to signing for delivery. Product damage incurred during shipping, unless noted on the Bill of Lading at the time of delivery, renders this warranty void.

LIMITED LIABILITY: In no event shall THE AUTHORIZED DEALER be liable to the purchaser or any third party for any indirect, incidental, consequential, special, exemplary or punitive damages arising out of the use of the product, including, without limitation, property damage, loss of value of the product or any third party products that are used in or with the product, or loss of use of the product or any third party products that are used in or with the product.

