



1 Ton Folding Shop Crane

Instructions for Part # FSCRANE1



GENERAL GUIDELINES & SAFETY

- It is the user's responsibility to read and follow all instructions.
- Keep these instructions with the product at all times and review before each use
- It is the responsibility of this product's owner to furnish the instructions to any person that borrows or purchases the product.
- Inspect the product before use to ensure it is assembled properly and all parts are in safe working order and free of defects; do not use if crane appears damaged.
- Never modify this product in any way.
- All circumstances cannot be addressed in these instructions.
- Please use common sense and practice general safety measures when using this product.
- Parts and/or instructions are subject to change without notice.
- Use crane only on hard, level ground.
- As the jib extends, the capacity of the crane reduces accordingly; do not load the crane beyond the rated capacity for each specified jib extension position as indicated in the label.
- Never exceed the maximum 2,200-lb load capacity.
- Never operate the hydraulic power unit beyond its maximum stroke indicated on the label. Before operating the crane, ensure the jib extension is securely positioned by the pin (NO.9)
- Ensure that the latching mechanism on the load hook is working properly before each use.
- Lift the load in a well-balanced and stable way to ensure that center of gravity always remains inside the crane base; unbalanced and unstable loads can result in injury or death.
- Never position any part of your body under the load.
- Do not allow the load to swing or drop violently when moving.
- The crane is not designed to transport loads; if it is used to move a load, the load must be lowered and the jib extension should be in the lowest position possible for maximum safety. Once the operation is finished, the load promptly should be lowered to a firm, supportive surface.
- For safety, this crane is equipped with a valve to prevent the unit from being overloaded; do not tamper with or remove this valve.


PARTS

Weight capacities per jib extension

1,540 lbs

1,760 lbs

2,200 lbs



PART	DESCRIPTION	QTY
1	Base	1
2	Leg(Left or right)	2
3	Pos	1
4	boom	1
5	boom extension	1
6	jack	1
7	jack handle	1
8	Pin a	1
9	chain	1
10	Pin b	2
11	M24 nut	2
12	Ø24 washer	2
13	Roller a	2

PART	DESCRIPTION	QTY
17	M12 lock nut	2
18	Bolt M16X90	3
19	Ø16 washer	3
20	M16 lock nut	3
21	Bolt M12X80	1
22	Ø12 spring washer	8
23	"R" pin	2
24	Roller b	2
25	M12 long nut	2
26	Ø18 washer	2
27	Ø18 spring washer	2
28	Wheel	2
29	Bolt M12X30	7

PRODUCT WARRANTY & LIABILITY

GENERAL PRODUCT WARRANTY: Products purchased from the Authorized Dealer (original place of purchase) or Merchant ("Dealer") will be free of defects in material and workmanship at the time of receipt, and will meet the specifications stated at the place of purchase transaction or online at the Dealer's website, under normal use and service when correctly installed, operated and maintained. This product warranty is effective for the period of time stated below, unless otherwise stated in the product instructions or depicted in the product advertisement. All Authorized Dealer warranties are NON-TRANSFERABLE and cover only the original end purchaser. This limited warranty does not cover products purchased through non-authorized dealers. Non-authorized dealer receipts are not accepted for warranty verification.

*****WARRANTY CLAIMS MUST BE MADE DIRECTLY TO THE ORIGINAL PLACE OF PURCHASE.*****

WARRANTY PERIOD: This warranty remains in force for one year from the date of the product's accepted delivery. The Authorized Dealer offers a one year manufacturer's warranty for most products unless otherwise specified on the product advertisement.

WARRANTY SERVICE: The Authorized Dealer will replace any defective or malfunctioning part at no charge, including payment of the shipping costs of parts or replacement product to and from the manufacturer. The purchaser is responsible for labor charges. If the product does not meet specifications as depicted in the advertisement, the Authorized Dealer will refund the full purchase price of the product.

Questions regarding the warranty on a specific product and warranty claims should be directed to the Authorized Dealer with whom the purchase transaction was made.

WARRANTY LIMITATIONS: The above warranty does not apply to products that are repaired, modified or altered by any party other than the Authorized Dealer; are subjected to unusual physical stress or conditions (such as overloaded ramps or corrosion), natural disaster, governmental actions, wars, strikes, labor disputes, riots, theft, vandalism, terrorism or any reason beyond reasonable control; are damaged due to improper installation, misuse, abuse, accident or negligence in use, storage, transportation or handling, or tampering; or to products that are considered consumable items or items requiring repair or replacement due to normal wear and tear.

Product should be inspected prior to signing for delivery. Product damage incurred during shipping, unless noted on the Bill of Lading at the time of delivery, renders this warranty void.

LIMITED LIABILITY: In no event shall **THE AUTHORIZED DEALER** be liable to the purchaser or any third party for any indirect, incidental, consequential, special, exemplary or punitive damages arising out of the use of the product, including, without limitation, property damage, loss of value of the product or any third party products that are used in or with the product, or loss of use of the product or any third party products that are used in or with the product.

