



Steel Basket Folding Cargo Carrier


Instructions for Part CC-F4820-DLX, CC-F6020-DLX

GENERAL GUIDELINES & SAFETY



- It is the user's responsibility to read and follow all instructions.
- Keep these instructions with the product at all times and review before each use.
- It is the responsibility of this product's owner to furnish the instructions to any person that borrows or purchases the product.
- Inspect the product before use to ensure it is assembled properly and all parts are in safe working order and free of defects.
- Never modify this product in any way.
- All circumstances cannot be addressed in these instructions.
- Please use common sense and practice general safety measures when using this product.
- Parts and/or instructions are subject to change without notice.
- Never exceed the maximum weight capacity of 500lbs. on this cargo carrier.
- This cargo carrier is only to be used on properly installed 2 inch Class III hitch receiver capable of supporting the cargo carrier and its load. Refer to the hitch manufacturer's specifications and load capacities before using.
- This carrier is not intended for transport of people or live animals.
- Never attempt to modify the cargo carrier in any way.
- Never use the carrier for purpose for which it was not intended.
- Never carry loads wider or deeper than the carrier.
- Never carry flammable items on the carrier.
- Never allow exhaust fumes to be low directly on cargo or straps secured to the carrier. This is a fire hazard and could also lead to cargo coming loose.
- Never obscure vehicle taillights with cargo on the carrier.
- Carefully inspect the carrier before each use for missing, damaged or loose parts or hardware. Tighten, repair and /or replace hardware and parts as needed to ensure safe operation.
- Always ensure weight is evenly distributed and cargo is completely secured to the carrier and will not shift during transport. Bungee cords are NOT recommended for securing loads because they can stretch and and/or snap allowing loads to come loose.

PARTS



Recommended Assembly Tools:



Open Wrench
(1pc)
Size=17mm



Open Wrench
(1pc)
Size=24mm



Adjustable
Wrench (1pc)
Size=0-300mm

Part List

Item#	Description	Qty	Item#	Description	Qty
1	Platform	2	8	M16 × 80 Hexagon Head Bolt	1
2	M10 x 20 Carriage Bolts	12	9	Foldable Connection Bar	1
3	Flat Brace	1	10	Clip	1
4	M10 x 75 Carriage Bolt	2	11	5/8" Pin	1
5	M10 Locknut	14	12	M16 Locknut	1
6	2" Shank	1	13	Connecting Plate	2
7	Support Bridge	2			

ASSEMBLY

Step 1 Align platform angle side holes (upper 2 holes), connect the platform (1), and connecting plate (13), together with M10*20 carriage bolt (2), and M10 locknut (5), **(80% tightness)**. See FIG 1




FIG 1

Step 2 Put 2" shank (6), under the middle of platform (1), place support bridge (7), under 2" shank (6). Place flat brace (3), in the middle top of platform (1). Connect by M10 X 75 carriage bolt (4), M10 locknut (5), align the holes, Secure with M10 X 20 carriage bolts (2), M10 locknut (5), **(80% tightness)**. See FIG 2






FIG 2

Step 3 Align platform angle side holes (the lower 2 holes), connect platform (1), and connecting plate (13), with M10X20 carriage bolt (2), M10 locknut(5), **(80% tightness)**. See FIG 3



Step 4 Insert 2" shank (6), into the foldable connection bar (9), align all the holes and lock large holes with M16 × 80 hexagon head bolt (8), and M16 locknut (12). 5/8" Pin (11), is needed for horizontal rotation and rotating 90 degrees, insert clip (10), securely into the hole in 5/8" Pin (11), to secure it in place. See FIG 4



Step 5 Now ensure **ALL** bolts and locknuts are completely and securely tightened.

PRODUCT WARRANTY & LIABILITY

GENERAL PRODUCT WARRANTY: Products purchased from the Authorized Dealer (original place of purchase) or Merchant ("Dealer") will be free of defects in material and workmanship at the time of receipt, and will meet the specifications stated at the place of purchase transaction or online at the Dealer's website, under normal use and service when correctly installed, operated and maintained. This product warranty is effective for the period of time stated below, unless otherwise stated in the product instructions or depicted in the product advertisement. All Authorized Dealer warranties are **NON-TRANSFERABLE** and cover only the original end purchaser. This limited warranty does not cover products purchased through non-authorized dealers. Non-authorized dealer receipts are not accepted for warranty verification.

*****WARRANTY CLAIMS MUST BE MADE DIRECTLY TO THE ORIGINAL PLACE OF PURCHASE.*****

WARRANTY PERIOD: This warranty remains in force for one year from the date of the product's accepted delivery. The Authorized Dealer offers a one year manufacturer's warranty for most products unless otherwise specified on the product advertisement.

WARRANTY SERVICE: The Authorized Dealer will replace any defective or malfunctioning part at no charge, including payment of the shipping costs of parts or replacement product to and from the manufacturer. The purchaser is responsible for labor charges. If the product does not meet specifications as depicted in the advertisement, the Authorized Dealer will refund the full purchase price of the product.

Questions regarding the warranty on a specific product and warranty claims should be directed to the Authorized Dealer with whom the purchase transaction was made.

WARRANTY LIMITATIONS: The above warranty does not apply to products that are repaired, modified or altered by any party other than the Authorized Dealer; are subjected to unusual physical stress or conditions (such as overloaded ramps or corrosion), natural disaster, governmental actions, wars, strikes, labor disputes, riots, theft, vandalism, terrorism or any reason beyond reasonable control; are damaged due to improper installation, misuse, abuse, accident or negligence in use, storage, transportation or handling, or tampering; or to products that are considered consumable items or items requiring repair or replacement due to normal wear and tear.

Product should be inspected prior to signing for delivery. Product damage incurred during shipping, unless noted on the Bill of Lading at the time of delivery, renders this warranty void.

LIMITED LIABILITY: In no event shall **THE AUTHORIZED DEALER** be liable to the purchaser or any third party for any indirect, incidental, consequential, special, exemplary or punitive damages arising out of the use of the product, including, without limitation, property damage, loss of value of the product or any third party products that are used in or with the product, or loss of use of the product or any third party products that are used in or with the product.

