



LOAD-A-PUP

MODEL: LP500

⚠ WARNING

READ ALL INSTRUCTIONS BEFORE USING THE LOAD-A-PUP

NOTE: FAILURE TO READ INSTRUCTIONS BEFORE USE COULD RESULT IN INJURY OR DEATH.

NOTE: ALL INITIAL INSTALLATION ADJUSTMENTS TO THE LOAD-A-PUP SHOULD BE MADE PRIOR TO LAUNCHING THE BOAT.

Instructions for Installation and Use:

CONTENTS: SEE FIGURE 1

- 1- LADDER MOUNTING BRACKET
- 1- LOAD-A-PUP SECURITY STRAP WITH SNAP HOOK
- 2- LADDER CINCHING STRAPS
- 2- 1/4" X 1" BOLTS
- 2- NYLON WASHERS
- 4- FLAT WASHERS
- 2- 1/4" LOCKNUTS
- 1- LOAD-A-PUP PLATFORM ASSEMBLY WITH PRE-INSTALLED CABLES AND "U" BRACKET



FIG. 1




FIG. 2

STEP 1-INSTALLING LADDER MOUNTING BRACKET-SEE FIGURE 2

SELECT THE PROPER HOLES IN THE LADDER MOUNTING BRACKET THAT WILL ALLOW FOR A SECURE FIT TO LADDER RUNG. ASSEMBLE THE LADDER MOUNTING BRACKET TO THE LOAD-A-PUP PLATFORM ASSEMBLY USING 2- 1/4" X 1" BOLTS, 4- FLAT WASHERS, 2- 1/4" LOCKNUTS & 2- NYLON WASHERS. TIGHTEN SECURELY.

****NOTE**** THE 2 NYLON WASHERS ARE TO BE PLACED BETWEEN THE LADDER MOUNTING BRACKET AND THE UPRIGHTS OF THE LOAD-A-PUP PLATFORM ASSEMBLY.

STEP 2-SEE FIGURE 3

PLACE LOAD-A-PUP ONTO DESIRED RUNG OF BOAT LADDER.



FIG. 3



FIG. 4

STEP 3-INSTALLING SECURITY STRAP WITH SNAP HOOK-SEE FIGURE 4, 4A & 4B

TO SECURE THE LOAD-A-PUP TO THE BOAT, INSTALL THE LOAD-A-PUP SECURITY STRAP WITH SNAP HOOK. ATTACH THE END OF THE STRAP WITHOUT THE SNAP HOOK TO A SECURE POINT ON THE BOAT AND CLIP THE SNAP HOOK ONTO THE EYE BOLT.



FIG. 4A EYE BOLT




FIG. 4B EYE BOLT

FIGURE 4C, 4D & 4E-INSTALLING CINCHING STRAPS

PLACE EACH OF THE CINCHING STRAPS AROUND THE UPRIGHT SECTION OF THE LOAD-A-PUP PLATFORM ASSEMBLY AND THE LADDER RUNGS. POSITION ONE STRAP ON EACH SIDE OF LADDER MOUNTING BRACKET. THREAD THE STRAP THRU THE BUCKLE AS SHOWN IN FIG. 4C, 4D & 4E.




FIG. 4C




FIG. 4D




FIG. 4E

STEP 4-INSTALLATION
COMPLETE-SEE FIGURE 5
ONCE PROPERLY INSTALLED
THE LOAD-A-PUP WILL REST
SECURELY ON THE LADDER
RUNG AND BE READY FOR USE.



FIG. 5

⚠ WARNING

LOAD-A-PUP IS NOT DESIGNED OR APPROVED FOR HUMAN USE

⚠ WARNING

NEVER USE THIS PRODUCT FOR ANYTHING OTHER THAN THE INTENDED USE

⚠ WARNING

DO NOT USE THIS PRODUCT IN EXTREME WEATHER CONDITIONS i.e., LIGHTNING, HIGH WINDS, ROUGH/CHOPPY WATER

⚠ WARNING

MAXIMUM WEIGHT CAPACITY IS 200 LBS.

MAKE SURE THAT SECURITY STRAP WITH SNAP HOOK IS ALWAYS ATTACHED TO PREVENT PRODUCT LOSS.



***NOT FOR HUMAN USE**

***FOR USE WITH DOGS WEIGHING 200 LBS. OR LESS**

***DO NOT ALLOW DOG ON PLATFORM WHILE BOAT IS MOVING**

***DO NOT USE ON BOATS LESS THAN 14 FEET IN LENGTH**

***SIDES OF BOAT MUST BE 15 INCHES TALL OR TALLER**

***DO NOT USE ON A CANOE OR PIROGUE**

***DO NOT USE AS A DIVING PLATFORM**

***DO NOT USE AS A HUNTING STAND**

***REMOVE UNIT FROM LADDER BEFORE TRAVELING**

For more information about this or other products, contact us at:

Great Day, Inc.

604 Kimbrough Dr. * Tallulah, LA 71282

* (866) 649-1918 * www.greatdayinc.com