

Roof Crossbars

Instructions for Part #RB-TL-331

General Guidelines ⚠️

- It is the user's responsibility to read and follow all instructions.
- Keep these instructions with the product at all times and review before each use.
- It is the responsibility of this product's owner to furnish the instructions to any person that borrows or purchases the product.
- Inspect the product before use to ensure it is assembled properly and all parts are in safe working order and free of defects.
- Never modify this product in any way.
- All circumstances cannot be addressed in these instructions. Please use common sense and practice general safety measures when using this product.
- Parts and/or instructions are subject to change without notice.

Safety ⚠️

- For use with existing vehicle side rails.
- Never exceed the 165 lb weight capacity.
- Always make sure the capacity of your vehicle roof can sustain the weight of the roof bars and the load. Make sure any loads are balanced (rather than only on one side) and are appropriately tied down.
- The roof bars should be spaced at least 19.5" apart.
- Make sure the clamps properly secure around the side rails. Do not use if there is a problem with fit.
- Always make sure the strap adjustment tabs are securely in place and lock the roof bars before use.
- Make sure the roof bars do not interfere with the vehicle sunroof.
- Remove the roof bars before going through a car wash.
- Make sure you have adequate room to install the roof bars. A step stool or tire step (sold separately) may be necessary to safely install and secure a load on the roof bars.
- Periodically recheck the roof bars and load during travel, especially during bad weather, heavy traffic, or when driving at high speeds.
- Avoid excessive speed, sharp turns, and sudden braking when using the roof bars.
- Always follow local traffic rules.
- Failure to follow these instructions can lead to serious injury and property damage.

Maintenance

The roof bars may be cleaned using a clean, damp cloth and water. Allow the roof bars to thoroughly dry in a cool, dry place.

Do NOT use thinner to clean the roof bars. Do NOT oil the hardware.

Parts




Installation

Step 1. Slide the base clamps into the track on the underside of the roof bars. Install the end caps by pushing them securely into place.





Step 2. Unlock the front housing and slide it forward to remove. Inside you will find the strap adjustment tab/strap lock.




Step 3. Flip the tab away from the strap, then turn it clockwise to tighten the strap or counterclockwise to loosen the strap. The strap may be released by lifting the end out of the end hooks.




Step 4. Place the crossbars on the vehicle side rails, sliding the base housings to adjust as needed. Fit the straps under and around the side rails. Make sure the roof bars are even and spaced at least 19.5" apart.



Step 5. Tighten each strap securely, fitting the end of the strap into the strap end hook. When securely tightened, flip the tab down, pushing it in place above the strap end. Make sure the tab clicks into place.



Step 6. Slide the lock housings back into place and lock. Make sure all base clamps are properly secured and locked before use. Any cargo used with the roof bars should be the appropriate weight, spaced evenly, and properly tied down.



T-Bolt Accessories

T-bolt mounting accessories may be used with these crossbars. Remove the end cap, then remove the center rubber strip. A T-bolt may be used in this track.



Product Warranty and Liability

GENERAL PRODUCT WARRANTY: Products purchased from the Authorized Dealer (original place of purchase) or Merchant (“Dealer”) will be free of defects in material and workmanship at the time of receipt, and will meet the specifications stated at the place of purchase transaction or online at the Dealer’s website, under normal use and service when correctly installed, operated and maintained. This product warranty is effective for the period of time stated below, unless otherwise stated in the product instructions or depicted in the product advertisement. **All Authorized Dealer warranties are NON-TRANSFERABLE** and cover only the original end purchaser. This limited warranty does not cover products purchased through non-authorized dealers. Non-authorized dealer receipts are not accepted for warranty verification.

Warranty claims must be made directly to the original place of purchase.

WARRANTY PERIOD: This warranty remains in force for one year from the date of the product’s accepted delivery. The Authorized Dealer offers a one year manufacturer’s warranty for most products unless otherwise specified on the product advertisement.

WARRANTY SERVICE: The Authorized Dealer will replace any defective or malfunctioning part at no charge, including payment of the shipping costs of parts or replacement product to and from the manufacturer. The purchaser is responsible for labor charges. If the product does not meet specifications as depicted in the advertisement, the Authorized Dealer will refund the full purchase price of the product.

Questions regarding the warranty on a specific product and warranty claims should be directed to the Authorized Dealer with whom the purchase transaction was made.

WARRANTY LIMITATIONS: The above warranty does not apply to products that are repaired, modified or altered by any party other than the Authorized Dealer; are subjected to unusual physical stress or conditions (such as overloaded ramps or corrosion), natural disaster, governmental actions, wars, strikes, labor disputes, riots, theft, vandalism, terrorism or any reason beyond reasonable control; are damaged due to improper installation, misuse, abuse, accident or negligence in use, storage, transportation or handling, or tampering; or to products that are considered consumable items or items requiring repair or replacement due to normal wear and tear.

Product should be inspected prior to signing for delivery. Product damage incurred during shipping, unless noted on the Bill of Lading at the time of delivery, renders this warranty void.

LIMITED LIABILITY: In no event shall THE AUTHORIZED DEALER be liable to the purchaser or any third party for any indirect, incidental, consequential, special, exemplary or punitive damages arising out of the use of the product, including, without limitation, property damage, loss of value of the product or any third party products that are used in or with the product, or loss of use of the product or any third party products that are used in or with the product.

